


T&J

F Series

Unlock Way:

Fingerprint/Password/Mechanical Key/Card/APP



PARAMETER

- **Material :** Zinc Alloy
- **Unlock Way :** Fingerprint/Password/Mechanical Key/Card/ APP
- **Keypad Type :** 12 Digital Touch Keypad
- **Type of fingerprint sensor :** Semiconductor Fingerprint Reader
- **User :** 99 Fingerprint Users , 50 Password Users , Total Users Capacity : 230 Users
- **Power Supply :** 4pcs AAA 1.5V Alkaline Batteries / USB Emergency Recharge
- **Mortise :** Europe 5050/6072, ANSI, Single Latch

OPTIONAL COLOR



CE-F918-SV
Silver



CE-F918-BL
Black



Bluetooth Series




T&J

M Series

***Unlock Way:
Password/Card/Bluetooth/Mechanical Key***



DIMENSION(mm)



PARAMETER

- **Material** : Zinc Alloy
- **Unlock Way** : Password/Card/Bluetooth/Mechanical Key
- **Keypad Type** : 12 Digital Touch Keypad
- **User** : 50 Password Users , Total Users Capacity : 230 Users
- **Power Supply** : 4pcs AAA 1.5V Alkaline Batteries
- **Mortise** : Europe 5050/6072, ANSI, Single Latch

OPTIONAL COLOR



CE-M918-SV
Silver




CE-M918-BL
Black

Bluetooth Series



T&J


Since 1993



■ HANDLE ORIENTATION



■ INSTALLATION INDEX



A. Frame width: The distance from the decoration edge to the door edge

- ANSI MORTISE A should above 120mm
- EURO MORTISE A should above 90mm

B. Door thickness: The door thickness

- ANSI MORTISE B should above 38mm
- EURO MORTISE B should above 28mm

Bluetooth Network Lock

